

QU 系列调音台固件升级步骤说明

A&H 厂家会不定时发布新的固件。一般,发布新固件的原因有 2 个: 1.有新的功能加入。 2.修复旧有的 BUG。

当需要决定更新固件后,就要开始准备 A&H 要求的硬件和软件,然后按照升级步骤去 完成调音台的升级,以下将以一台 QU16 为例,完成一次固件升级。一共 3 个步骤,分别为 准备软硬件、执行升级和检查升级结果。

步骤1(准备软硬件):

Step a. 硬件准备: 正规厂家生产的 U 盘一个,本例将使用 kinston 牌 U 盘。严禁使用移动硬 盘进行升级,已经发现有客户使用移动硬盘升级失败导致机器黑屏无法使用。 Step b. 软件准备: QU 调音台目标版本的固件文件,本例将升级到 190 版本。

Step a: QU 调音台为了确保升级过程的稳定,不兼容一些山寨厂家生产的 U 盘。下面图示中的 2 个 U 盘外观看起来是一样的,从外观无法分辨哪个是正品 kinston 牌 U 盘,需要使用专用工具去检测,例如 ChipGenius4.00,等。本例中的山寨 U 盘在 QU16 上无法识别,当然也无法完成升级。但是,此山寨 U 盘在电脑上使用却一切正常,这点需要留意一下。



Step b: 下载需要升级的目标版本固件文件。下载地址: <u>http://www.allen-heath.com/downloads/</u>

打开以上下载网址后,跟着下面的图示一步步选择到相应的下载页面。





Download documents such as brochures and user guides as well as software, firmware and drivers for all products.

Select a product series:

Qu Series 🗸	Qu-Control	n/a	n/a
	Qu-SB	Documents	Software
	Qu-32	Documents	Software
右边弹出QU全系列	🕨 Qu-24	Documents	Software
	Qu-16	Documents	Software
	Qu-Pac	Documents	Software
	Qu-You	n/a	n/a
	AB168 Qu	Documents	n/a
本例将升级QU16,	AR84 Qu	Documents	n/a
的以高击对应的 Software	AR2412 Qu	Documents	n/a
	Qu-Pad	n/a	n/a

QU SOFTWARE

Click here for the latest Software for all Qu products.



QU SOFTWARE

QU FIRMWARE RELEASE V1.90

V1.90 is a feature release of Qu mixers firmware. It adds support of Qu-SB, ProFactory Library presets for industry standard Shure and Sennheiser microphones, various enhancements to the Qu-Pad iPad app, and support of the new Qu-Control iOS app. Please read the Release Notes and Firmware Update Instructions before downloading the firmware.

Please note – Qu-You Android V1.9 is not available right now. We are working hard to release it soon but in the meantime, if you or members of your band rely on Qu-You Android for your application, we recommend not updating to V1.9 firmware or iOS apps just yet.

本例下载QU16固件,请按实际情况下载

QU-16 FIRM ARE

易料 EZPRO

QU-24 FIRMWARE

QU-32 FIRMWARE

QU FIRMWARE RELEASE V1.90

V1.90 is a feature release of Qu mixers firmware. It adds support of Qu-SB, ProFactory Library presets for industry standard Shure and Sennheiser microphones, various enhancements to the Qu-Pad iPad app, and support of the new Qu-Control iOS app. Please read the Release Notes and Firmware Update Instructions before downloading the firmware.

Please note – Qu-You Android V1.9 is not available right now. We are working hard to release it soon but in the meantime, if you or members of your band rely on Qu-You Android for your application, we recommend not updating to V1.9 firmware or iOS apps just yet.

QU-16 FIRMWAR	Ε	
ZIP	本例升级190版本,其他版本按需要下载 QU-16 FIRMWARE V1.90 Current Version - Released May 2016	1.84 MB
Previous versior	IS	
ZIP	QU-16 FIRMWARE V1.82 Previous Version - Released November 2015	1.85 MB



按以上步骤点完,就可以正常下载到固件文件。但是,有时候网站提示需要用户登陆之 后才能下载,需要按要求填入用户名和密码,没有用户名和密码需要注册一个。

LOG IN ^{左边已注册用户,} 在此填入	右边是非注册用户; 需要按要求填入相关信息完成注册
LOGIN/REGISTER FORGOTTEN DETAILS?	
TO LOGIN TO YOUR ACCOUNT, COMPLETE THE DETAILS BELOW Username or E-mail 用户名	NOT REGISTERED? COMPLETE THE FORM BELOW TO GET STARTED Username
Password ······· 密码	Email 电子邮件地址
Remember Me Log In Register Lost Password	Password (please type it twice) * 密码

_料 EZ	PRO			
	Password (please type it twice) *			
	密码			
	再次输入密码			
	password strength indicator			
	First Name *			
	名			
	Last Name *			
	姓			
	Your Country *			
	Select 国家,选择china	•		
	 I'm happy for you to pass my details my local distributor. 是否愿意把本地的代理 Yes, add me to your mailing list. 是否接收厂商产品消息邮件 Registration confirmation will be emailed to 	s on to 注册信息提供给 商 you.		
	Registration confirmation will be emailed to	o you.		
	Register 点击,完成注册 Log In Lost Password	Ð		
	成功下载文件后,把压缩包解	压,把解压出来	÷的文件放到 U 结	盘的根目录下。
	名称	修改日期	类型	大小
	\mu AHQU	2016/6/12 11:43	文件夹 文件夹	
	Qu16UpdtV1_90_4537.QUU	2016/5/10 17:43	QUU 文件	5,697 KB
	へ QU16固件文件,	版本190		

此时需要注意,U盘的文件系统要求是 FAT32,不能是 NTFS 或其他。不是 FAT32 文件系 统的,请格式化成 FAT32。



需要格式化 U 盘的按以下图示进行。格式化将删除 U 盘所有资料,格式化前请备份。

可移动磁盘 (H:)	2	打开(0)	格式化 可移动磁盘 (H:)
✓ 7.17 GB 可用 , 共 7.32 GB		在新窗口中打开(E) 启用 BitLocker(B)	容量 (P): [7.32 GB
		共享(H)	文件系统(F) [FAT32 (默认)
	63	上传到企业微云	32 KB
c 7.32 GB BitLocker 扶丞 名		添加到压缩文件(A) 添加到 "Archive.rar"(T) 压缩并 E-mail 压缩到 "Archive.rar" 并 E-mail	还原设备的默认值 (0) 选择FAT32 卷标 (L)
≩ FAT32		格式化(A) 弹出(J)	山山火打つ 格式化通道(0) 図 快速格式化(0)
		剪切(T) 复制(C)	□ 创建一个 MS-DOS 启动盘 (W) 开始格式化
		创建快捷方式(S) 重命名(M)	开始 (3)
		屬性(R)	

步骤2(执行升级):

Step a. 检查调音台固件版本。 Step b. 更新到新版本固件。

Step a: 升级前一般检查一下机器原来的固件版本,确认是否需要升级。











在升级过程中,千万保证机器不能断电,严禁拔掉 U 盘。必须等到升级完成,显示屏重新 亮起后,才能拔掉 U 盘或者断电。否则,QU 调音台就会开机黑屏,变砖无法启动了。

步骤3(检查升级结果):



升级完成后, 有时显示屏会闪屏, 这时, 只需要重新关机, 拔掉电源线, 等10秒后重新开机即可。